

---

Grace Peterson Nursing Research Colloquium

---

## Intraoperative Management of Lumbar Cerebrospinal Fluid Drains: A Reference Tool

Victoria Shink  
victoriashink@yahoo.com

Amanda Galik  
mandygalik@yahoo.com

Follow this and additional works at: <https://via.library.depaul.edu/nursing-colloquium>



Part of the [Nursing Commons](#)

---

Shink, Victoria and Galik, Amanda, "Intraoperative Management of Lumbar Cerebrospinal Fluid Drains: A Reference Tool" (2020). *Grace Peterson Nursing Research Colloquium*. 4.  
<https://via.library.depaul.edu/nursing-colloquium/2020/summer/4>

This Event is brought to you for free and open access by the School of Nursing at Via Sapientiae. It has been accepted for inclusion in Grace Peterson Nursing Research Colloquium by an authorized administrator of Via Sapientiae. For more information, please contact [digitalservices@depaul.edu](mailto:digitalservices@depaul.edu).

# Intraoperative Management of Lumbar Cerebrospinal Fluid Drains: A Reference Tool

Amanda Galik, BSN, RN and Victoria Shink, BSN, RN

Faculty Sponsor: DePaul University School of Nursing

NorthShore University Health System School of Nurse Anesthesia

**Background:** Lumbar cerebrospinal fluid (CSF) drains are invasive interventional devices implemented for patients suffering from neurosurgical and complex aortic conditions. CSF drain management can be an infrequent task for anesthesia providers. Infrequent exposure can lead to inadvertent mismanagement leaving the patient vulnerable to increased morbidity and mortality.

**Objectives:** The purpose of this study was to develop a reference tool for basic intraoperative management of lumbar CSF drains and determine if CRNA and SRNA knowledge was improved with its use.

**Method:** This study utilized a pre-test/post-test design with an educational reference tool to survey both CRNAs and SRNAs.

**Results:** Overall, the difference in the scores before and after the implementation of the reference tool were found to be statistically significant ( $p$  value  $<0.001$ ) for improvement in knowledge for both CRNAs and SRNAs despite specialization, years of experience, and yearly number of lumbar drains managed. However, the implementation of the established reference tool demonstrated greater effectiveness for SRNAs and those who do not specialize in neuroanesthesia.

**Conclusion:** This study demonstrated a need for education and reference materials to assist providers with improved knowledge regarding basic CSF drain manipulation intraoperatively.

DO  
NOT  
USE  
THIS  
SIDE  
OF  
THE  
PAGE